



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/801,307	03/16/2004	Todd Robida	03-183	1975

27774 7590 12/16/2005

MAYER, FORTKORT & WILLIAMS, PC  
251 NORTH AVENUE WEST  
2ND FLOOR  
WESTFIELD, NJ 07090

EXAMINER
----------

BOECKMANN, JASON J

ART UNIT	PAPER NUMBER
----------	--------------

3752

DATE MAILED: 12/16/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	<b>Application No.</b> 10/801,307	<b>Applicant(s)</b> ROBIDA, TODD	
	<b>Examiner</b> Jason J. Boeckmann	<b>Art Unit</b> 3752	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

#### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

#### Status

- 1) ☐ Responsive to communication(s) filed on \_\_\_\_.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

#### Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.  
4a) Of the above claim(s) \_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1,3-10 and 12-18 is/are rejected.
- 7) ☒ Claim(s) 2,6,11,19 and 20 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_ are subject to restriction and/or election requirement.

#### Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 16 March 2004 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

#### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

#### Attachment(s)

- |   |  |
|---|--|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. ____ |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948)   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)            |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date <u>3/16/04, 8/10/05</u> . | 6) <input type="checkbox"/> Other: ____  |

## **DETAILED ACTION**

### ***Drawings***

Figures 1-8 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the first position, second position and the default neutral position of the valve must be shown or the feature(s) canceled from the claim(s). In addition, the supply pressure source of claim 6, line 2, should be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet,

Art Unit: 3752

and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

### ***Specification***

The examiner would like to ask the applicant if the name "Takasago" on line 1 of paragraph 2 in the specification is a trademark. If so, then it should be capitalized wherever it appears and be accompanied by the generic terminology.

Although the use of trademarks is permissible in patent applications, the proprietary nature of the marks should be respected and every effort made to prevent their use in any manner which might adversely affect their validity as trademarks.

The following guidelines illustrate the preferred layout for the specification of a utility application. These guidelines are suggested for the applicant's use.

### **Arrangement of the Specification**

As provided in 37 CFR 1.77(b), the specification of a utility application should include the following sections in order. Each of the lettered items should appear in upper case, without underlining or bold type, as a section heading. If no text follows the section heading, the phrase "Not Applicable" should follow the section heading:

(a) TITLE OF THE INVENTION.

Art Unit: 3752

- (b) CROSS-REFERENCE TO RELATED APPLICATIONS.
- (c) STATEMENT REGARDING FEDERALLY SPONSORED RESEARCH OR DEVELOPMENT.
- (d) THE NAMES OF THE PARTIES TO A JOINT RESEARCH AGREEMENT
- (e) INCORPORATION-BY-REFERENCE OF MATERIAL SUBMITTED ON A COMPACT DISC (See 37 CFR 1.52(e)(5) and MPEP 608.05. Computer program listings (37 CFR 1.96(c)), "Sequence Listings" (37 CFR 1.821(c)), and tables having more than 50 pages of text are permitted to be submitted on compact discs.) or  
REFERENCE TO A "MICROFICHE APPENDIX" (See MPEP § 608.05(a). "Microfiche Appendices" were accepted by the Office until March 1, 2001.)
- (f) BACKGROUND OF THE INVENTION.
  - (1) Field of the Invention.
  - (2) Description of Related Art including information disclosed under 37 CFR 1.97 and 1.98.
- (g) BRIEF SUMMARY OF THE INVENTION.
- (h) BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE DRAWING(S).
- (i) DETAILED DESCRIPTION OF THE INVENTION.
- (j) CLAIM OR CLAIMS (commencing on a separate sheet).
- (k) ABSTRACT OF THE DISCLOSURE (commencing on a separate sheet).
- (l) SEQUENCE LISTING (See MPEP § 2424 and 37 CFR 1.821-1.825. A "Sequence Listing" is required on paper if the application discloses a nucleotide or amino acid sequence as defined in 37 CFR 1.821(a) and if the required "Sequence Listing" is not submitted as an electronic document on compact disc).

### ***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

Art Unit: 3752

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 1, 3-5, 7, 10 and 12-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over the applicant's admitted prior art (figures 1-8) in view of Brown (2,880,755).

The applicants admitted prior art discloses a medical device coating unit comprising a three-way valve (70), a solution reservoir (11) connected to a first port, a solution receptacle (14) connected to a second port, and a solution outlet (12) connected to a third port. The medical device being adapted to withdraw the coating solution from the reservoir (11) through the valve (70) and into the solution receptacle (14) and expel the coating material from the solution receptacle (14) through the valve (70) and through the solution outlet (12). The admitted prior art does not specifically disclose that the valve is a pneumatic actuated three-way valve. However, Brown shows a pneumatic actuated three-way valve (figure 1) comprising first (11), second (13) and third (12) valve ports. It would have been obvious to one of ordinary skill in the art at the time of the applicant's invention to substitute the new pneumatic actuated three-way valve of Brown for the three-way valve of figure 1. Regarding claims 3, 4, 12 and 13, the solution receptacle comprises a syringe (14) and the solution outlet comprises a spray nozzle (12). Regarding claim 7, the medical device includes a first tube (13a) having a first diameter coupled to the first port (11) and a second tube (13c) having a second diameter coupled to the second port (13). Regarding claim 10, the medical device

Art Unit: 3752

includes one or more disposable fittings (16a, 16b, 16c, 16d). With respect to claims 14-18, the apparatus shown by the applicants admitted prior art as modified by Brown is capable of performing the method or steps in the claims.

Claims 8 and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over the applicant's admitted prior art (figures 1-8) in view of Brown (2,880,755) further in view of Chemline Plastics Ltd. (2001).

The applicant's admitted prior art as modified by Brown shows all aspects of the applicant's invention as in claim 5, including threaded inserts (14, 15, 16), but does not specifically disclose that it contains stainless steel threaded inserts. However, Chemline Plastics Ltd. shows a pneumatic valve with stainless steel threaded inserts (page 2). It would have been obvious to one of ordinary skill in the art at the time of the applicant's invention to substitute the stainless steel threaded inserts of Chemline Ltd. for the threaded inserts of the applicant's admitted prior art as modified by Brown, in order to prevent corrosion. Additionally, it is well known that stainless steel is an obvious choice of material for medical devices due to its ability to resist corrosion and be easily cleaned.

#### ***Allowable Subject Matter***

Claims 2, 6, 11 and 19 and 20 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

**Conclusion**

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Page (2,991,805) shows a three-way valve with a diaphragm. Tissot-Dupont (3,227,180) shows a dual actuated pneumatic valve. Kintner (3,426,799) discloses an automatic valve. Wagner (3,575,211) shows a dual actuated pneumatic three-way valve. Dawson (4,099,904) shows a dual actuated pneumatically actuated valve.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jason J. Boeckmann whose telephone number is (571) 272-2708. The examiner can normally be reached on 7:30 - 5:00 m-f, first Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David A. Scherbel can be reached on (571) 272-4919. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JJB

12/8/05



David A. Scherbel  
Supervisory Patent Examiner  
Group 3700